


10/676,706

DOCKET NO.: P1845RIC2

Listing of claims:

1. (previously presented) A compound having the general formula (II):



II

wherein

- Q is alkyl, alkenyl or alkynyl optionally substituted with halogen, carboxyl, alkyl or aryl, and wherein one or more carbon atoms are optionally replaced with O, N, NR<sub>6</sub>, S, SO, or SO<sub>2</sub>;
- R<sub>1</sub> is hydrogen or is selected from the group consisting of alkyl, alkenyl and alkynyl, each of which is optionally substituted with hydroxyl, halogen, amino, nitro, carboxyl, a carbocycle, or a heterocycle; or R<sub>1</sub> is a carbocycle or heterocycle optionally substituted with hydroxyl, oxo, halogen, amino, or nitro;
- R<sub>3</sub> and R<sub>4</sub> are independently selected from the group consisting of H, hydroxyl, halogen, amino, nitro, carboxyl, alkyl, alkenyl, alkynyl, a carbocycle and a heterocycle, wherein said alkyl, alkenyl, alkynyl, carbocycle and heterocycle groups are optionally substituted with one or more substituents selected

10/676,706

DOCKET NO.: P1845RIC2

from the group consisting of hydroxyl, halogen, amino, oxo and carboxyl, and optionally one or more carbon atoms of said alkyl, alkenyl and alkynyl group is replaced with N, NR<sub>6</sub>, O, S, SO or SO<sub>2</sub>;

R<sub>6</sub> is hydrogen, alkyl, alkenyl or alkynyl;

R<sub>7</sub> is hydrogen, hydroxyl, halogen, alkyl, alkoxy or halogen substituted alkyl;

R<sub>8</sub> is H, alkyl, alkenyl or alkynyl;

R<sub>9</sub> is H or NR<sub>11</sub>R<sub>11</sub>, wherein R<sub>11</sub> and R<sub>11</sub> are independently H, acyl or an amino acid residue;

R<sub>10</sub> is O or S;

m and n are independently 1, 2 or 3;

p is an integer from 1 to 5;




and salts, solvates and hydrates thereof.

2. (original) The compound according to claim 1, wherein Q is an alkyl chain of 1 to 3 carbon atoms in length.
3. (original) The compound according to claim 2, wherein said alkyl chain is 2 carbon atoms in length.
4. (original) The compound according to claim 2, wherein one of the carbon atoms in said alkyl chain is replaced with an oxygen atom.
5. (original) The compound according to claim 4, wherein said oxygen atom is adjacent to the ring.
6. (original) The compound according to claim 1, wherein R<sub>1</sub> is H.
7. (original) The compound according to claim 1, wherein R<sub>3</sub> and R<sub>4</sub> are both H.

10/676,706










DOCKET NO.: P1845R1C2

8. (original) The compound according to claim 1, wherein  $R_6$  is H.
9. (original) The compound according to claim 1, wherein  $p$  is the integer 1, and  $R_7$  is OH at the para-position.
10. (original) The compound according to claim 1, wherein  $R_8$  is H and  $R_9$  is H or  $NR_{11}R_{11'}$ , wherein  $R_{11}$  is H and  $R_{11'}$  is H or  $C_{1-4}$  alkanoyl.
11. (canceled)
12. (canceled)
13. (canceled)
14. (canceled)
15. (canceled)
16. (canceled)
17. (previously presented) A compound according to claim 1 selected from the group consisting of



10/676,706

DOCKET NO.: P1845R1C2



and